

Introduction to Collaborative Signal Processing

Feng Zhao

Xerox Palo Alto Research Center


January 15-16, 2001



29 Palms, August 2000



Model-Directed Sensing and Estimation

Insight: Model provides spatio-temporal priors to focus sensing and signal processing!



Tracking job flow in a printshop

- **The problem:** Identify *workflow* of printshops consisting of multiple machines
 - Determine job initiation, duration, and component conditions
 - Optimize the shop operations using the information
- **Requirement:** Minimal disruption to existing printshop operation and intrusion to customer networks (security)
- **Approach:** Use distributed microphones and RF tags to locate/track job flows





Xerox Palo Alto Research Center

parc



Idea: Event model as a temporal prior in distributed monitoring

- As in speech processing, identify grammar and inter-word constraints
- Use a Petri net event model to constrain the search for next “word”



(1) Prediction: $P(e^t) = M(e^{t-1}, e^{t-2}, \dots)$

(2) Source separation:

$$\begin{bmatrix} z_1^t \\ \vdots \\ z_n^t \end{bmatrix} = \begin{bmatrix} \alpha_{11} \delta(t-\tau_{11}) & \dots & \alpha_{1m} \delta(t-\tau_{1m}) \\ \vdots & & \vdots \\ \alpha_{n1} \delta(t-\tau_{n1}) & \dots & \alpha_{nm} \delta(t-\tau_{nm}) \end{bmatrix} * \begin{bmatrix} s_1^t \\ \vdots \\ s_m^t \end{bmatrix}$$

Likelihood function:

$$P(\bar{\mathbf{z}}^t | \alpha, \tau) = k_1 \cdot \exp\left[-\frac{1}{2}(\mathbf{r}^t)^T \Sigma^{-1} \mathbf{r}^t\right]$$


(3) Update: $P(e^t | \bar{\mathbf{z}}^t) = k_2 \cdot P(\bar{\mathbf{z}}^t | e^t) \cdot P(e^t)$

Xerox Palo Alto Research Center

parc




Dynamics as a prior in multiple target tracking



Two vehicle targets cross over

Particle Filter (Condensation) as an implementation for Bayesian Filtering

- Multi-modal, non-Gaussian distribution
- Uniform representation



A few issues in distributed implementation

- Distribute hypotheses and models
- Transmit results v.s. raw data
- Exchange and combine data with great variability in latency and quality
- Dense small nodes vs. sparse large nodes
- Track pixels v.s. predicates
- Sensor wakeup and cueing
- Taxonomy of application scenarios

Emerging Discipline

